



SL1620 Silicon Product Qualification Report

PN: 527-002830-01 Rev E

Downloaded by Anonymous () on 7 Jan 2026 11:22 UTC

Contents

1.	Introduction.....	3
1.1.	Full Device Qualification Report.....	4
2.	Revision History	5

Downloaded by Anonymous () on 7 Jan 2026 19:35:22 UTC

1. Introduction

The purpose of this document is to outline the qualification plans and results for the SL1620 consumer and industrial product, manufactured by TSMC using 12nm FFC process. This report confirms that the product qualification results for Synaptics part number SL1620 meets all necessary requirements and that the product is approved for production as both consumer and industrial grade.

The 12nm FFC process has been qualified by TSMC.

[Table 1](#) provides the qualification results based on the JEDEC standards.

Downloaded by Anonymous () on 7 Jan 2026 19:35:22 UTC

1.1. Full Device Qualification Report

Table 1. Qualification Report Summary

Stress	Reference	Abbreviation	Conditions	Requirements	
				# of Lots/ SS per Lot	Duration/Accept
Human Body Model ESD	JESD22-A114	ESD HBM	+/- 2KV; Ta= 25°C	3 units	Classification 2/Passed
Charged Device Model ESD	JESD22-C101	ESD CDM	+/- 250V; Ta= 25°C	3 units	Classification 1/Passed
Latch -Up	JESD78	LU	I-Test @ +/-100mA; OVT @ 1.5xV; Ta = 125°C	3 units	0 Failed
High Temperature Operating Life	JESD22-A108, JESD85	HTOL	Tj = 125°C Operating VCORE: VDD= 1.04V VDD_IO = 2.16	3 lots / 77 units	2000 hours / 0 Failed
Low Temperature Operating Life	JESD22-A108, JESD85	LTOL	Tj = -40°C Operating VCORE: VDD= 1.04V VDD_IO = 2.16	1 lot / 77 units	1000 hours / 0 Failed
Biased HAST	JESD22-A110	BHAST	110°C /85%RH	3 lots/ 25 units per lot	264hrs / 0 Fail Electrical Test
High Temperature Storage	JESD22-A103	HTSL	150°C + Preconditioning if required	3 lots/ 77 units ea.	1000hrs / 0 Fail Electrical Test
MSL3 Preconditioning <i>must</i> be performed prior to THB, HAST, TC, AC & UHAST	JESD22-A113	PC	Per Appropriate MSL level of the test vehicle per J-STD-020	3 lots/ 154 units ea.	0 Fail Electrical Test
Temperature Cycling	JESD22-A104	TC	Cond C.: -65°C to 150°C	3 lots/ 77 units ea.	500 cycles / 0 Fail Electrical Test
Unbiased Temperature/Humidity (Unbiased HAST)	JESD22-A118	UHAST	130°C /85%RH	3 lots/ 77 units ea.	96hrs / 0 Fail Electrical Test

2. Revision History

Revision	Description
A	Initial release.
B	Updated to include industrial grade.
C	Updated Introduction , Human Body Model ESD, Charged Device Model ESD, and Low Temperature Operating Life (Duration/Accept column) in Table 1. Qualification Report Summary .
D	Updated Table 1. Qualification Report Summary as follows: <ul style="list-style-type: none"> High Temperature Operating Life – changed Duration/Accept Requirements to “2000 hours”. Biased HAST – changed Conditions to “110°C” and Duration/Accept Requirements to “264 hours”.
E	Updated JESD22-A113 (Stress details) in Table 1. Qualification Report Summary .

Downloaded by Anonymous () on 7 Jan 2026 19:35:22 UTC



Copyright

Copyright © 2024–2025 Synaptics Incorporated. All Rights Reserved.

Trademarks

Astra, Astra Machina, Synaptics and the Synaptics logo are trademarks or registered trademarks of Synaptics Incorporated in the United States and/or other countries.

TSMC is the property of Taiwan Semiconductor Manufacturing Company. All other brand names or trademarks are the property of their respective owners. All other trademarks are the properties of their respective owners.

Contact Us

Visit our website at www.synaptics.com to locate the Synaptics office nearest you.

PN: 527-002830-01 Rev E

Notice

Use of the materials may require a license of intellectual property from a third party or from Synaptics. This document conveys no express or implied licenses to any intellectual property rights belonging to Synaptics or any other party. Synaptics may, from time to time and at its sole option, update the information contained in this document without notice.

INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED “AS-IS,” AND SYNAPTICS HEREBY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES OF NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS. IN NO EVENT SHALL SYNAPTICS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION CONTAINED IN THIS DOCUMENT, HOWEVER CAUSED AND BASED ON ANY THEORY OF LIABILITY, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, AND EVEN IF SYNAPTICS WAS ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. IF A TRIBUNAL OF COMPETENT JURISDICTION DOES NOT PERMIT THE DISCLAIMER OF DIRECT DAMAGES OR ANY OTHER DAMAGES, SYNAPTICS’ TOTAL CUMULATIVE LIABILITY TO ANY PARTY SHALL NOT EXCEED ONE HUNDRED U.S. DOLLARS.